| | | | GENERAL INFORMATION | | LNS INTERVE | NTION OBJECTIVE | | | | MANAGEMENT AND STRU | CTURE OF LNS INTERVENTION | | | |
|-------|--|-----------------|--|---|--|--|---|---|--|---|---|------------------|---|---|
| Code | Region Code | Country | Intervention Full name | Expected Outcome of Intervention | Expected Outcome of Intervention | Intervention Approach and Description (if available) | Is intervention a stand alone activity or is it integrated in a multi sectoral approach? State type Program if available | Organizations involved in intervention | Intervention Start Date | Scale of Intervention (at time of survey) | Planned Final Scale of Intervention | Target Age Group | Number of Participants reached in 2010 | Number of Participants reached in 2011 |
| 21(2) | East Asia and Pacific Regional Office | Indonesia 3 | C1 Local food based intervention (under PLB) | Improved Complementary feeding Micrountrient Deficiency Prevention and Control Anaemia Prevention and Control Anaemia Prevention and Control Orrevention/ treatment of Moderate Acute Malnutrition (MAAM) | reduce wasting by 5% in children 6-24 mo by 2015 (end of intervention) | C4 Public/Free Distribution | Integrated in multisectorial approach: • Infant and Young child Feeding • Micronutrient Deficiency Prevention and control • Anaemia Prevention and Control • Humanitarian Response Program • Prevention/Treatment of Moderate Acute Malnutrition (MAM) | C6 WFP, GAIN, DSM, Garudafood, Astaguna, MENKOKESRA, MOH, BPOM, UNICEF, WHO, other NGO | C8 Dec 2011 -Feb 2012 (effectiveness study) | C9 Not Started: Planned beneficiaries 15000 children in TTS district | Not Started: Full coverage in one district (pilot) possible scale up at sub-national and national level | C11 6-24 months | C12 Data Not Available | 1,000 |
| 22(2) | East Asia and Pacific Regional Office | Lao PDR | Maternal and Child Health and Nutrition | Reduction of Stunting | Reduction in stunting by 10% | Public/Free Distribution | Integrated in multisectorial approach: Reduction of Stunting Micronutrient Deficiency Prevention and control | 2 | JUNE 2010 | Subnational | Subnational | 6-24 months | Data Not Available | 1,000 |
| 27(2) | East Asia and Pacific Regional Office | Philippines WFP | Supplementary Feeding Programme | Improved Complementary feeding Micronutrient Deficiency Prevention and Control Prevention/ treatment of Moderate Acute Malnutrition (MAM) | prevent deterioration of nutritional status of children | Public/Free Distribution | Integrated in multisectorial approach: Infant and Young child Feeding Humanitarian Response Program Prevention/Treatment of Moderate Acute Malnutrition (MAM) | WFP, NGO (Community and Family Services International), DOH, Local Government | JAN 2011 | Subnational | Subnational | 6-24 months | Data Not Available | 10,000 monthly |
| 37 | Eastern and Southern Africa Region | Kenya | Blanket MCHN Programme (6 24 mo) | Improved Complementary feeding Micronutrient Deficiency Prevention and Control Improved growth monitoring | Improve nutrient quality of complementary meals for children 6-23 months | Public/Free Distribution | Integrated in multisectorial approach: • Infant and Young child Feeding • Micronutrient Deficiency Prevention and control | WFP, UNHCR, MSF (Spain & Swiss), IRC, GIZ | By UNHCR (Jan 2010) by WFF (March 2011) | Other: Distribution targets children 6-24 months in Kakuma and Dadaab | Other: Only for refugee programmes | 6-24 months | 15,000 | 26,000 |
| 39(1) | Eastern and Southern Africa Region | Madagascar | Accelerated Reduction of malnutrition | Improved Complementary feeding Reduction of Stunting Micronutrient Deficiency Prevention and Control Anaemia Prevention and Control Prevention of Treatment of Moderate Acute Malnutrition (MAM) | Halving malnutrition by 2015 | •Other: distributed by agencies or purchased by the participants •Cost: 1837AR 0r .94USD | Integrated in multisectorial approach: Reduction of Stunting Infant and Young child Feeding Micronutrient Deficiency Preventior and control Anaemia Prevention and Control Humanitarian Response Program Prevention/Treatment of Moderate Acute Malnutrition (MAM) | ONU, Unicef, Ministère de la Santé, Médecins du Monde, MSF | 4 distributions: Oct-Dec 2008, February - March 2009 June 2010 - August 2011 | National | National | 6-36 months | Don't know | 15,000 |
| UA1 | Eastern and Southern Africa Region | Uganda | Supplementary Feeding Programme | Micronutrient Deficiency Prevention and Control Anaemia Prevention and Control Prevention/ treatment of Moderate Acute Malnutrition (MAM) | Prevention and treatment of acute malnutrition among children <5 | Paid by participant | Integrated in multisectorial approach: • Micronutrient Deficiency Prevention and control • Prevention/Treatment of Moderate Acute Malnutrition (MAM) | Action Against Hunger-USA | Jul-05 | Pilot | Don't Know | 6-36 months | Don't know | Don't know |
| \$\$1 | Middle East and North Africa | South Sudan | Blanket supplementation of children with Pumpy 'doz | Prevention/ treatment of Moderate Acute Malnutrition (MAM) | 50% of children 6-24 mo. Supplemented with Pumpy'doz | Public/Free Distribution | Integrated in multisectorial approach: Humanitarian Response Program Prevention/Treatment of Moderate Acute Malnutrition (MAM) | WFP, ACF-USA, WVI, Merlin, CW and state level MOHs in critical geographic areas | May-11 | Subnational | Don't Know | 6-24 months | 130,000 | 200,000 |
| SS2 | Middle East and North Africa | South Sudan | Prevention of Rise in Acute Malnutrition During Lean Seasons | Micronutrient Deficiency Prevention and Control Anaemia Prevention and Control Prevention/treatment of Moderate Acute Malnutrition (MAM) | Data Not Available | Public/Free Distribution | Integrated in multisectorial approach: • Infant and Young child Feeding • Humanitarian Response Program • Prevention/Treatment of Moderate Acute Malnutrition (MAM) | WFP, INGOs, SMOH | Aug-09 | Subnational | Subnational | 6-24 months | 112,000 | 150,000 |
| SR2 | Middle East and North Africa | Syria | Supplementary Feeding for under 2 years | Improved Complementary feeding Micronutrient Deficiency Prevention and Control | Provide multinutrient complement to children under 2 years and prevent stunting | Public/Free Distribution | Integrated in multisectorial approach: • Micronutrient Deficiency Prevention and control • Humanitarian Response Program • Other: The programme is aiming at prevention of stunting and t reduction of stunting which is missing from the options. | Nursing Department, MOH | Jun-10 | Pilot | Subnational | 6-24 months | 2,490 | 5,000 |
| 93(1) | The America and Caribbean Regional Office | Guatemala | Plumpydoz - improving nutrition and preventing/treating stunting in young children. | Improved Complementary feeding Reduction of Stunting | reduce the prevalence of stunting by 25% | Paid by participant | Integrated in multisectorial approach: Reduction of Stunting Infant and Young child Feeding Micronutrient Deficiency Preventior and control Anaemia Prevention and Control Humanitarian Response Program | ı Wuqu'Kawoq | Jan-11 | Pilot | Subnational | 6-59 months | 500 | 700 |

| 93(2) | The America and Caribbean Regional Office | Guatemala | Nutributter - improving nutrition and preventing/treating stunting in young children. | Improved Complementary feeding Reduction of Stunting Prevention/ treatment of Moderate Acute Malnutrition (MAM) reduce stunting prevalence by 25%, prevent stunting and MAM in disaster settings | 1 | Data Not Available | Integrated in multisectorial approach: Reduction of Stunting Infant and Young child Feeding Infant Bedieney Prevention and control Anaemia Prevention and Control Humanitarian Response Program Prevention/Treatment of Moderate Acute Malnutrition (MAM) | Wuqu' Kawoq | Jan-11 | Pilot | Subnational | 6-59 months | 500 | 5,000 |
|--------|--|------------|--|--|--|--------------------------|--|---|---|---|---|-------------|--------------------------|--|
| 106(2) | West and Central Africa Region | Cameroon | Support for the establishment of a program of distribution of a nutritional supplement, ready to use (LNS Lipid-bases Nutrient Supplement) to strengthen the complementary feeding of young children aged to 0.24 months in intervention areas | Anaemia Prevention and Control Prevention/ treatment of Moderate Acute Malnutrition | Reduction of stunting from 20% in children ages 6 to 59 months | Public/Free Distribution | Integrated in multisectorial approach: Reduction of Stunting Infant and Young child Feeding Micronutrient Deficiency Prevention and control Prevention/Treatment of Moderate Acute Malnutrition (MAM) | Ministry of Health, UNICEF, HKI | 2012 | Not Started | Not Started | 6-24 months | Data Not Available | Data Not Available |
| 108 | West and Central Africa Region | Chad | Plumpy'doz distribution in the sahel belt of Chad | Prevention of Severe Acute Malnutrition during the hunger gap period | Reduce the incidence of SAM in 6-24 mo. During the hunger gap period | | Integrated in multisectorial approach: • Prevention/Treatment of Moderate Acute Malnutrition (MAM) | UNICEF, MOH, French Red Cross, UNHCR | May-August 2011 | Subnational | National | 6-24 months | 20,000 | 60,000 |
| 111 | West and Central Africa Region | DR Congo | Integrated IYCF programme with use of LNS in the Katanga province in DRC | Improved Complementary feeding Reduction of Stunting Micronutrient Deficiency Prevention and Control Anaemia Prevention and Control | Data Not Available | Public/Free Distribution | Integrated in multisectorial approach: Infant and Young child Feeding | UNICEF, CDC, National Nutrition program, PARSS project, senior Management of Kipushi health zone , Nutriset | Planned for 01.2012 | Pilot | Not Started | Other | 0 | 0 |
| 118(2) | West and Central Africa Region | Liberia | Distribution of high energy and micronutrient dense complementary feding for moderately malnourished children in Ivory Coast Refugee Crisis | Prevention/ treatment of Moderate Acute Malnutrition (MAM) | More than 90% of 12,500 children <5 receive blanket feeding | Public/Free Distribution | Integrated in multisectorial approach: • Humanitarian Response Program • Prevention/Treatment of Moderate Acute Malnutrition (MAM) | Ministry of Health and Social Welfare, UNICEF, ACF, Merlin Merci | Feb-11 | Other: Humanitian response in emergency areas | Other: Humanitian response in emergency areas | 6-24 months | Data Not Available | 2,000 children (3 rounds so far) |
| 120 | West and Central Africa Region | Mali | Support preventive and curative health care in the area of Konséguéla (Koutiala Circle, Sikasso region) | Reduction of Stunting Anaemia Prevention and Control | Global acute malnutrition rates and reduced growth retardation | Public/Free Distribution | Integrated in multisectorial approach: Reduction of Stunting Anaemia Prevention and Control Prevention/Treatment of Moderate Acute Malnutrition (MAM) | MSF, MoH | Mar-11 (14 months) | Pilot | Don't Know | 6-24 months | 2,000 | Data Not Available |
| 122(1) | West and Central Africa Region | Mauritania | Distribution RUSF in Tagant children of 6-35 months in Tagant for 3 months | Improved Complementary feeding | Contribute to the reduction of 10% underweight in the regions | Public/Free Distribution | Stand alone: Other: Child Survival | мон | MAI-2010 | Pilot | Pilot | 6-36 months | 9,000 | 30,000 |
| 122(2) | West and Central Africa Region | Mauritania | Distribution of LLINs and RUSF to children 6-24 months in the southeast for 2 months | Improved Complementary feeding | Contribute to the reduction of 10% underweight in the regions | Public/Free Distribution | Integrated in multisectorial approach: Other: Child Survival and Joint nutrition programme, food safety | Ministry of Health, CSA, WFP, WHO, FAO, Rural mdev, Ministry of Economic Affairs and Development | Jun-11 | Subnational | Subnational | 6-24 months | 9,000 | 30,000 |
| 123(1) | West and Central Africa Region | Niger | Data Not Available | Prevention/ treatment of Moderate Acute Malnutrition (MAM) | Data Not Available | Public/Free Distribution | Integrated in multisectorial approach: • Humanitarian Response Program | Government, UNICEF, WFP, NGOs | During the lean seasson (Septmenber- December 2010) | Subnational | Subnational | 6-24 months | Approximately 115,000 | Data Not Available |
| 123(2) | West and Central Africa Region | Niger | Blanket Feeding | Improved Complementary feeding Reduction of Stunting Micronutrient Deficiency Prevention and Control Anaemia Prevention and Control Prevention of Treatment of Moderate Acute Malnutrition (MAM) | To prevent acute malnutrition | Public/Free Distribution | Integrated in multisectorial approach: Reduction of Stunting Humanitarian Response Program Prevention/Treatment of Moderate Acute Malnutrition (MAM) | UNICEF, WFP, NGOS | Since 2006 during the lean season (may-september) | National | National | 6-24 months | 750,000 | 500,000 |

| 21(2) East Asia and | and Pacific in and Pa | Country Indonesia 3 Lao POR | Protein (g) C14a Data Not Axailable | Fat (g) | Linoleic Acid (mg) | Alpha Linoleic Acid (mg) | Carbohydrate (g) | | | | | | | | MNP FORMULA | | | | | | | | | | | | | Is UNS a registered | ION AND APPROVAL |
|---|--|-----------------------------|-------------------------------------|--------------------|--------------------|-----------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|---------------------|----------------------------|-------------------------------|---------------------------|--------------------|--------------------|---------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|---|---|--|---|
| 21(2) Regional O 22(2) East Asia and Regional O 22(3) East Asia and | and Pacific and Pacific and Pacific | | | | | | | Energy (kcal) | Vitamin A (µg) | Vitamin C (mg) | Vitamin D (µg) | Vitamin E (mg a-TE) | Thiamin/Vitamin 81 (mg) | Riboflavin/Vitamin 82 (mg) | Niscin/Vitamin 83 (mg) | Vitamin BG (mg) | Vitamin 812 (µg) | Panthothenic Acid (mg) | Folk Acid (µg) | Iron (mg) | Zinc (mg) | Copper (mg) | Calcium (mg) | Selenium (µg) | lodine (µg) | Additional Nutrients and Quantity | Iron Compound in MNP | product in the country? If yes how has the product been registered? | Does the LNS have government approval? If no explain reason. |
| 21(2) Regional O 22(2) East Asia and Regional O 22(3) East Asia and | and Pacific and Pacific and Pacific | | Data Not Available | | C14c | C14d | C14e | C14f | CMg | C14h | C141 | C14 | C14k | C14I | C14m | C14n | C14o | C14p | CMq | C14r | C14s | C14t | C14u | C14v | C14w | Cléyes | CIS | C16-17 | C18 |
| Regional O | and Pacific | Lao POR | | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Oata Not Available | Other: Premix formulation in discussion with DSM | No | In Process/ Under review |
| | | | 5.9g | 16g | Data Not Available | Data Not Available | | 247 kcal | 400ug | 10mg | Data Not Available | Grag | 0.5mg | 0.5mg | Grag | 0.5mg | 0.9ug | 2mg | 160ug | Seng | Smg | 0.3mg | 387mg | 17ug | 90ug | Phosphorus (275 mg) Potassium (310 mg) Magnesium (60 mg) Manganese (0.17 mg) | Don't Know | No | Yes |
| | al Office | nilippines WFP | 5.9 | 16 | Data Not Available | Data Not Available | Data Not Available | 247 | 400 | 10 | Data Not Available | 6 | 0.5 | 0.5 | 6 | 0.5 | 0.9 | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Phosphorus • Magnesium • Marganese | Don't Know | No | Yes |
| 37 Eastern and St Africa Reg | Region | Kenya | 2.6 | 7 | Data Not Available | Data Not Available | Data Not Available | 110 | 0.4 | 30 | Data Not Available | Data Not Available | 0.3 | 0.4 | 4 | 0.3 | 0.5 | 18 | Data Not Assilable | 9 | 4 | 0.2 | 200 | 10 | 90 | Copper (0.2 mg) Potassium (152 mg) Manganese (0.152 mg) | Non encapsulated FeSO4 | No | No: National standards need development and approval by Kenya Bureau of Standards |
| 39(1) Eastern and St Africa Reg | | Madagascar | 41.3 | 112 | Data Not Available | Data Not Available | Data Not Available | 1729 | 2800 | 210 | Data Not Available | 42 | 1.5 | 1.5 | Data Not Available | 3.5 | 3.5 | 14 | 1120 | 63 | 63 | 2.1 | 2709 | 119 | 630 | Data Not Available | Don't Know | Yes: Nut Supplement | Yes |
| UA1 Eastern and Sc Africa Reg | nd Southern | Uganda | 5,9 | 16,0 | Data Not Available | Data Not Available | Data Not Available | 247 | 400 | 30 | Data Not Available | 6 | 0.5 | 0.5 | 6 | 0.5 | 0.9 | 2 | 160 | 9 | 9 | 0.3 | 367 | 17 | 90 | Phosphorus (275 mg) • Potassium (310 mg) • Magnesium (60 mg) • Manganese (0.17 mg) | Non encapsulated FeSO4 | Don't Know | Yes |
| SS1 Idle East and N | nd North Aff Se | South Sudan | 5,9 | 16,0 | Data Not Available | Data Not Available | Data Not Available | 247 | 400 | 30 | Data Not Available | 6 | 0.5 | 0.5 | 6 | 0.5 | 0.9 | 2 | 160 | 9 | 9 | 0.3 | 367 | 17 | 90 | Phosphorus (275 mg) • Potassium (310 mg) • Magnesium (60 mg) • Manganese (0.17 mg) | Data Not Available | No | Yes |
| SS2 Idle East and N | | South Sudan | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Don't Know | Don't Know | Don't Know |
| SR2 Middle East | | Syria | 2.6 | 7.1 | 1.3 | 0.3 | Data Not Available | 108 | 0.4 | 20 | Data Not Available | Data Not Available | 0.3 | 0.4 | Data Not Available | 0.3 | 0.5 | 1.6 | so | 9 | 4 | 0.2 | 100 | 10 | 90 | Data Not Available | Don't Know | In Process/ Under review: not yet decided | In Process/ Under review |
| 93(1) The America Caribbean Re Office | in Regional C | Guatemala | 6 | 16 | Data Not Available | Data Not Available | Data Not Available | 250 | 400 | 10 | Data Not Available | 6 | 0.5 | 0.5 | 6 | 0.5 | 0.9 | 2.9 | 198 | 9 | 9 | 0.3 | 387 | 17 | 90 | Phosphorus (275 mg) • Magnesium (60 mg) • Manganese (0.1 mg) | Don't Know | No | Yes |
| 93(2) The America 93(2) Caribbean Re Office | in Regional C | Guatemala | 3 | 7 | Data Not Available | Data Not Available | Data Not Available | 110 | 400 | 30 | Data Not Available | 6 | 0.3 | 0.4 | 4 | 0.3 | 0.5 | 1.8 | 80 | 9 | 4 | 0.2 | 100 | 10 | 90 | Phosphorus (82 mg) • Magnesium (16 mg) • Manganese (0.1 mg) | Don't Know | No | Yes |
| 106(2) West and Co Africa Reg | | Cameroon | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Assilable | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Assilable | Data Not Available | Data Not Available | No: Product registration will be considered when intervention begins | In Process/ Under review |
| 108 t and Central A | | Chad | 5,9 | 16,0 | Data Not Available | Data Not Available | Data Not Available | 247 | 400 | 30 | Data Not Axailable | 6 | 0.5 | 0.5 | 6 | 0.5 | 0.9 | 2 | 160 | 9 | 9 | 0.3 | 387 | 17 | 90 | Phosphorus (275 mg) • Potassium (310 mg) • Magnesium (60 mg) • Manganese (0.17 mg) | Non encapsulated FeSO4 | Yes: Nut Supplement | Yes |
| 111 West and Co | | DR Congo | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | No | In Process/ Under review |
| 118(2) West and Co Africa Reg | | Uberla | 12.5 | 34.5 | Data Not Available | Data Not Available | 43 | 534 | 853.9 | 64.8 | Data Not Available | 12.9 | 1.1 | 1.1 | 12.9 | 1.1 | 1.9 | Data Not Available | 345.6 | 19.4 | 8.6 | 0.6 | 836.8 | 36.7 | 19.4 | Phosphorus (594 mg) • Potassium (670.6 mg) • Manganese (0.37 mg) | Don't Know | No | Yes |
| 120 West and Co Africa Res | | Mali | 12.7-13.3 | 34.5-36.2 | Data Not Available | Data Not Available | Data Not Available | 534-587 | 863.9-1037 | 64.8-162 | Data Not Available | 12.9-16.8 | 1.1-2.2 | 1.1-1.32 | 12.9-14.8 | 1.1-1.32 | 1.9-2.5 | 4356 | 345.6-432.0 | 19.4-21.4 | 19.4-21.3 | 4-7 | 835.8-920.0 | 36.7-40.3 | 194.4-214 | Magnesium (mg) | Don't Know | Don't Know | Yes |
| 122(1) West and Co Africa Reg | nd Central | Mauritania | 5.9 | 16 | Data Not Available | Data Not Available | Data Not Available | 250 | 400 | 30 | 6 | 6 | 0.5 | 5 | 6 | 0.5 | 0.9 | 2 | 169 | 9 | 9 | 0.3 | 387 | 17 | 90 | Phosphorus (275 mg) Potassium (310 mg) Magnesium (0.17 mg) | Non encapsulated FeSO4 | Yes | Yes |
| 122(2) West and Co Africa Reg | | Mauritania | 5.9 | 16 | Data Not Available | Data Not Available | Data Not Available | 250 | 400 | 30 | 6 | 6 | 0.5 | 5 | 6 | 0.5 | 0.9 | 2 | 169 | 9 | 9 | 0.3 | 387 | 17 | 90 | Phosphorus (275mg) Potassium (310 mg) Magnesium (0.17 mg) | Non encapsulated FeSO4 | Yes: Not Yet Decided | Yes |
| 123(1) West and Co Africa Reg | Region | Niger | 41.3 | 112 | Data Not Available | Data Not Available | Data Not Available | 250 | 400 | 30 | 6 | 6 | 0.5 | 5 | 6 | 0.5 | 0.9 | 2 | 169 | 9 | 9 | 0.3 | 387 | 17 | 90 | Phosphorus (275mg) Potassium (310 mg) Magnesium (0.17 mg) | Non encapsulated FeSO4 | No: Special authorization to respond to the nutritional crisis | Yes |
| 123(2) West and Co Africa Res | | Nger | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Assilable | Data Not Available | Data Not Available | Data Not Available | Oata Not Available | Non encapsulated FeSO4 | Yes: Nut Supplement | In Process/ Under review |

| | | | PROCUREMENT | ħ. | MANUFACTURING | | QUALITY A | SSURANCE | | | | | | PACKAGING | | | | | | DISTRIBUTION ST | RATEGY | |
|--------|--|-----------------|-----------------------------------|--|--|--|--|--|---|---------------------------------|---|--|---|--|--|---|--|---|--|--|---|--|
| Code | Region Code | Country | Who procures the MNP? | is the product partly, or entirely locally manufactured? | Who is (are) the product manufacturer (s)? | Is product protected by a patent or any other legal instrument? | Is there a protocol to check the quality of the LNS? If yes Briefly describe. | Any problems experienced with the quality of LNS at anytime? If yes, explain problem | How is the product packaged for distribution? | Type of individual package used | Number of units per package (Box, Bag) | Quantity of the product for each individual unit | Does LNS have local name? If yes, write local name. | IF applicable, what is the translation of the local MNP name into English/French? | | Was a local image developed for the LNS? If yes, please indicate where the local image is displayed C27 | Messages written on the sachet | Messages Written on box or bag | How are LNSs distributed to Participants? | Frequency of Distribution of LNSs to participants | Number of sachets given to each participant at each distribution | Recommended Consumption schedule |
| 21(2) | East Asia and Pacific Regional Office | Indonesia 3 | C19 WFP | C20 Yes | •Garudafood •Astaguna | In process/Under Review | C23 Not Yet Started | C24 Not Yet Started | C25 Under development | C25b sachet | C25c under dev | C25d 25g | C26 Under Development | C26b Data Not Available | Plumpy'Doz (reference product for local formulation) | | Under Development | C29 Under Development | Scheduled events Community Based | 1 per month | 60 per month | C33 2 sachets of 25gr/day |
| 22(2) | East Asia and Pacific Regional Office | Lao PDR | WFP | No | Nutriset | Yes | Yes | No | Вох | Pot | 36 | 325g | No | Data Not Available | Plumpy'Doz | No | 1 pot per week (3 times everyday). Plumpy'doz is no substitute for a balanced diet. To be consumed within 14 days of opening. If possible, keep in a dry cool place <30 deg celcius. | Data Not Available | Health Facilities | 1 per month | 4 | 1 pot per week |
| 27(2) | East Asia and Pacific Regional Office | Philippines WFP | WFP | No | Nutriset | Don't Know | No | No | Plastic bag or any container from beneficiary | pot | 4 pots per month | 325g | No | Data Not Available | PlumpyDoz | No | nutritional supplement for children 6-36 months | no messages | Health Facilities Scheduled events | 1 per month | 4 pots | 3 tablespoons three times per day |
| 37 | Eastern and Southern Africa Region | Kenya | •WFP •UNHCR | No | Nutriset | Yes | Yes | No | Вох | Sachet | 546 | 20g | No | Data Not Available | Nutributter | No | Exclusive breastfeeding for 6 months, 6/24 months, pictures on use, 1/1/1 that is for dosage at the back, nutritional information(ingredients), company name, expiry date | Instructions on storage, quantity per box, expiry date, company name | Health Facilities | 1 per month | 28 | 1/2 sachet content twice a day |
| 39(1) | Eastern and Southern Africa Region | Madagascar | *Other *ONU *UNICEF *MSF *MDM | Yes | •Groupe BASAN-JB •Nutriset | Yes | Yes | No | Cartons | Pot | 36 | 325g | No | Data Not Available | Plumpy doz | No | see attached | see attached | Health Facilities Community Based | Other: following nutritional status of children, emergency | 4 pots per month | 1 pot per week |
| UA1 | Eastern and Southern Africa Region | Uganda | Don't Know | No | Nutriset | Yes | Don't Know | Don't Know | Box | Pot | Data Not Available | 325g | Don't Know | Data Not Available | Plumpy doz | Don't Know | Data Not Available | Data Not Available | Health Facilities | 1 per month | 4 | Data Not Available |
| 551 | Middle East and North Africa | South Sudan | WFP | No | Nutriset | Yes | Yes | No | Cartons | Pot | no packaging | 397g | No | Data Not Available | Plumpy doz | No | Data Not Available | Data Not Available | Scheduled events General Food Distribution | 1 per month | 36 | 3 teaspoonsfuls 3 times a day |
| SS2 | Middle East and North Africa | South Sudan | WFP | No | Nutriset | Data Not Available | No | No | Box | Pot | 36 pots per box | 325g | No | Data Not Available | Plumpy doz | No | As per manufacturer | As per manufacturer | Health Facilities General Food Distribution | 1 per month | 4 pots | 3 teaspoonsfuls 3 a day (46g) |
| SR2 | Middle East and North Africa | Syria | WFP | No | Nutriset | Yes | Yes | No | Вох | sachet | 600 | 20g | No | Data Not Available | Nutributter | No | nutributter is not substitute for a balanced diet. The product nutributter does not contain any product of anumal origin except milk products. Keep nutributter in a dry and cool place at temperature below 30 degree celsius. Recommeded dose 1 sachet/day | Data Not Available | Community Based | Other: 60 sachets per child every 2 months | Data Not Available | 1 sachet per child per day |
| 93(1) | The America and Caribbean Regional Office | Guatemala | Other: Wuqu'Kawoq | No | Edesia LLC | Yes | Yes | No | Вох | pot | 36 | 950g | No | Data Not Available | Data Not Available | No | Data Not Available | Data Not Available | Scheduled events Community Based | 1 per month | 4 | 46g three times a day |
| 93(2) | The America and Caribbean Regional Office | Guatemala | Other: Wuqu'Kawoq | No | Edesia LLC | Yes | Yes | No | Box | sachet | 600 | 20g | No | Data Not Available | Data Not Available | No | Data Not Available | Data Not Available | Scheduled events Community Based | 1 per month | 30 | 1 sachet per day |
| 106(2) | West and Central Africa Region | Cameroon | UNICEF | No | Data Not Available | Don't Know | Not Yet Started | Not Yet Started | Data Not Available | Data Not Available | Data Not Available | Data Not Available | No | Data Not Available | Data Not Available | No | Data Not Available | Data Not Available | Data not available | 1 per month | Data Not Available | Data Not Available |
| 108 | Vest and Central Africa Region | Chad | UNICEF | No | Nutriset | Yes | Yes | No | Box | Pot | 36 | 325g | No | Data Not Available | Plumpy doz | No | see attached | see attached | Health Facilities Scheduled events | 1 per month | 5 | 3 teaspoonsfuls 3 times a day |
| 111 | West and Central Africa Region | DR Congo | UNICEF | No | Nutriset | Yes | No | Not Yet Started | Bag | sachet | Data Not Available | Data Not Available | Under Development | Data Not Available | Data Not Available | Yes: Sachet | Data Not Available | Data Not Available | Health Facilities | 1 per month | Data Not Available | 1 sachet per day |
| 118(2) | West and Central Africa Region | Liberia | UNICEF | No | Nutriset | Yes | No | No | Pot | Pot | 2 pots for 2 weeks | 325g | No | Data Not Available | Data Not Available | No | Data Not Available | Data Not Available | Health Facilities General Food Distribution | Other: We are providing one child 8 pots (one per week, so eight weeks in total) then after this course we break for 4 months. So the distribution is bi annual basis | 4 pots per month | Data Not Available |
| 120 | West and Central Africa Region | Mali | MSF | No | Data Not Available | Data Not Available | Yes | No | Other | Data Not Available | Pot | Data Not Available | Don't Know | Data Not Available | Data Not Available | No | Data Not Available | Data Not Available | Health Facilities | 1 per month | 4 pots per month | daily consumption |
| 122(1) | West and Central Africa Region | Mauritania | UNICEF | No | Nutriset | Yes | No | Yes: inappropriate Packaging | Box | 36 pots per box | Pot | 325g | No | Data Not Available | Plumpy doz | No | Data Not Available | Data Not Available | Health Facilities Scheduled events Community Based | 1 per month | 4 pots per month | 1 pot per week |
| 122(2) | West and Central Africa Region | Mauritania | UNICEF | No | Nutriset | Yes | No | Yes: inappropriate Packaging | Box | 36 pots per bax | Pot | 325g | No | Data Not Available | Plumpy doz | No | Data Not Available | Data Not Available | Health Facilities Scheduled events Community Based | 1 per month | 4 pots per month | 1 pot per week |
| 123(1) | West and Central Africa Region | Niger | WFP | No | Nutriset | Yes | Yes | No | Cartons | 36 pots per carton | Pot | 325g | No | Data Not Available | Plumpy doz | No | Nutritional supplement is particularly suitable for children 6 to 36 months. 1 pot per week (3 nprises every day). Plumpydoz does not replace a balanced diet | Data Not Available | General Food Distribution | 1 per month | 4 | three times a day (1 pot per week) |
| 123(2) | West and Central Africa Region | Niger | WFP | No | Nutriset | Yes | No | No | •Box •Pot | pot | 36 | 47g | No | Data Not Available | Plumpy doz | No | NA | Nutriset instructions | Health Facilities General Food Distribution | 1 per month | 4 pots per month | 1 pot per week |

| | | | | | | | COMMUNI | CATION STRATEGIES | | | |
|--------|--|-----------------|---|--|--|---|--|---|---|--|---|
| Code | Region Code | Country | Is there a "Behavior Change Communication" strategy in place? | If answered * Billboards in C34, specify which "Mass Media" channels are currently being implemented (if any) C34a-f | If answered yes in C34, specify which "Interpssonal Communication" channels are currently being implemented (if any) C34g-j | If answered yes in 835, specify which "Other communication materials" channels are currently being implemented (if any) | Who delivers the interpersonal communication strategies with participants? | Type of training currently directed at LNS providers and distributors C35 | Describe the messages given to caregivers and providers on how to use LHSs C36 | Describe the <u>main message given</u> on the reason to give LNS | Indicate additional messages on the reason for giving LNSs |
| 21(2) | East Asia and Pacific Regional Office | Indonesia 3 | Under Development | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available |
| 22(2) | East Asia and Pacific Regional Office | Lao PDR | Yes | Data Not Available | Group meetings/counseling Individual meetings/counseling | •Informational Brochures, fleatlets | Government Personnel Community Health Workers Other: WFP field staff | Group orientation/training Individual orientation/training Written or electronic information about LNS distributed | see notes | Prevention of stunting | *Stronger/more active *Develop/grow better |
| 27(2) | East Asia and Pacific Regional Office | Philippines WFP | Yes | Data Not Available | Group meeting/counsating individual meetings/counsating | +Informational Brochuse, Neaflets | Government Personnel NGO Personnel Community Health Workers | Croup orientation/training Individual orientation/training Wittinson orientation/training Wittinson orientation/training Wittinson orientation/training Wittinson orientation/training Wittinson orientation/training | Coste Not Available | Flumpy Dos is a combined food and medicine for children cely at the local rate of the blands to other supplement to the regular dist of the child and not a reglacement food. | -disronger from active -restricted (see See See See See See See See See See |
| 37 | Eastern and Southern Africa Region | Kenya | Yes | Nutributter posters at distribution point | Group meetings/counseling Individual meetings/counseling Other: Mother and child support groups | LINS box Informational Brochures, leaflets | NGO Personnel Community Health Workers | Group orientation/training Individual orientation/training Written or electronic information about LNS distributed | One satchet to be used per day. 1/2 content of the satchet to be mixed with child morning and evening meal. Nutributter to be added to childs meal just before consumption. Nutributter should not be added to food while it is very hot. | To improve access to micro- nutrients by children aged 6-23 months. | Stronger/more active Healthier/ Less sick Develop/grow better Other: To enhance growth monitoring for the targeted children, to provide essential fatty acids |
| 39(1) | Eastern and Southern Africa Region | Madagascar | Yes | • Bilboards • Radio Spots | Group meetings/courseling Individual meetings/courseling | •informational Brochures/leaflets | Government Personnel Other: UNICEF | Group orientation/training Written or electronic information about LNS distributed | Cota Mot Available | Complete the child's needs for vitamins and minerals | -Stronger/more active + Healthins/ Less sick + Increased Appetite + Increased weight gain + Increased weight gain - Develop/grow better - Prevent Anemia |
| UA1 | Eastern and Southern Africa Region | Uganda | Don't Know | Data Not Available | Data Not Available | Data Not Available | Data Not Available | | Data Not Available | Data Not Available | Data Not Available |
| 551 | Middle East and North Africa | South Sudan | No | Data Not Available | Data Not Available | Data Not Available | Data Not Available | | Data Not Available | Data Not Available | Data Not Available |
| 552 | Middle East and North Africa | South Sudan | Yes | Data Not Available | Group meetings/courseling Other: Demonstrations | Informational Brochures/leaflets | Government Personnel NGO Personnel Other: WFP monitors | Group orientation/training | See attached doc | See attached doc | Data Not Available |
| SR2 | Middle East and North Africa | Syria | Yes | Data Not Available | Data Not Available | Other | Community Health Workers | Group orientation/training | The sachet is meant to be used on daily bases only for children those who are entitled for it. There should be no sharing with other brothers or sister incorder to get maximum benefits for your child who needs this food. This supplement along with staple balanced dist will allow your child to remain healthy and achieve normal growth | Right food for children under 2 years | Healthier/Less sick Develop/grow better |
| 93(1) | The America and Caribbean Regional Office | Guatemala | Yes | Data Not Available | Group meetings/counseling Individual meetings/counseling Other | •informational Brochures/leaflets | NGO Personnel Community Health Workers | Group orientation/training Individual orientation/training Written or electronic information about LNS distributed | dosing, rationale, monitoring, infant feeding practices, stunting | dosing, rationale, monitoring, infant feeding practices, stunting | Healthier/Less sick Increased Appetite Develop/grow better Make child more intelligent |
| 93(2) | The America and Caribbean Regional Office | Guatemala | Yes | Data Not Available | Group meetings/courseling Individual meetings/counseling Other | •Informational Brochures/leaflets | NGO Personnel Community Health Workers | Group orientation/training Individual orientation/training Written or electronic information about LNS distributed | dosing, rationale, monitoring, infant feeding practices, stunting | dosing, rationale, monitoring, infant feeding practices, stunting | Healthier/ Loss sick Increased Appetite Develop/grow better Make child more intelligent |
| 106(2) | West and Central Africa Region | Cameroon | Not Yet Started | Data Not Available | Data Not Available | Data Not Available | Data Not Available | | Data Not Available | Data Not Available | Data Not Available |
| 108 | West and Central Africa Region | Chad | Yes | • Radio Spots | Group meetings/counseling Individual meetings/counseling | LNS box Informational Brochures/leaflets | Government Personnel NGO Personnel Community Health Workers | Group orientation/training Individual orientation/training Written or electronic information about LNS distributed | Data Not Available | see attached | Healthier/ Loss sick Increased weight gain Develop/grow better |
| 111 | West and Central Africa Region | DR Congo | Under Development | Data Not Available | Data Not Available | Data Not Available | Data Not Available | | Data Not Available | Data Not Available | Data Not Available |
| 118(2) | West and Central Africa Region | Liberia | No | Data Not Available | Data Not Available | Data Not Available | Data Not Available | | Data Not Available | Data Not Available | Data Not Available |
| 120 | West and Central Africa Region | Mali | Yes | Data Not Available | Group meetings/courseling Individual meetings/counseling | Data Not Available | Government Personnel NGO Personnel | Group orientation/training Other | Data Not Available | Data Not Available | Healthier/ Less sick Develop/grow better Prevent Anemia |
| 122(1) | West and Central Africa Region | Mauritania | Yes | Other: Official Launch | Group meetings/courseling | •Informational Brochures/leaflets | Government Personnel | Group orientation/training Written or electronic information about LNS distributed | see attached | see attached | Healthier/ Less sick Increased Appetite Develop/grow better |
| 122(2) | West and Central Africa Region | Mauritania | Yes | Other: Official Launch | Group meetings/courseling | •Informational Brochures/leaflets | Government Personnel | Group orientation/training Written or electronic information about LNS distributed | see attached | see attached | Healthier/ Less sick Increased Appetite Develop/grow better |
| 123(1) | West and Central Africa Region | Niger | Yes | Other: Sensibilization | Group meetings/counseling | Data Not Available | Government Personnel | Group orientation/training | Data Not Available | Data Not Available | Increased weight gain Develop/grow better |
| 123(2) | West and Central Africa Region | Niger | Yes | Bilboards Radio Spots Other: Community mobilisation and sensitization | Group meetings/courseling Individual meetings/counseling | Data Not Available | Government Personnel NGO Personnel Community Health Workers | Group orientation/training Written or electronic information about LNS distributed | see attached | see attached | *Stronger/more active *Increased weight gain *Develop/grow better *Prevent Anemia *Other: Prevent severe acuse mainutrition |

| | | | | | | | | MONITORING AND EVA | LUATION | | | | COORDINATION AND OW | NERSHIP | CHALLENGES |
|--------|--|-----------------|---|---|---|---|---|---|---|---|---|--|--|--|--|
| Code | Region Code | Country | Is there a monitoring and evaluation plan? | Is monitoring information collected on procurement of LNSs? | is information collected on LNS supplies? | Is monitoring information collected on <u>training</u> on LNS providers and distributers? | Is information collected on <u>Behavior</u> <u>Change</u> <u>Communication?</u> | Is information collected on LNS coverage? | Is monitoring information collected on appropriate use of LNSs? | Are impact evaluations conducted? If yes, specify which indicators | is there a strategy for dealing with reports fo adverse effects associated to LNSs. If yes, please describe | Is there a coordinating body that oversees the development/implementatino of this intervention? | Have you shared information about the LNS intervention with those that are not directly involved in its implementation? | If answered YES to C50, please indicate with who C50a-50e | Top three challenges confronted by the intervention CS1 |
| | | | (39 | C40 | 041 | C4Z | U43 | | C45 | C40 | C47 | | CSU | CSGL-SGE | Funding for Product |
| 21(2) | East Asia and Pacific Regional Office | Indonesia 3 | Under Development | Not Yet Started | Not Yet Started | Not Yet Started | Not Yet Started | Not Yet Started | Not Yet Started | Not Yet Started | Not Yet Started | Not Yet Started | Not Yet Started | Health Authorities | Funding for delivery Coordination |
| 22(2) | East Asia and Pacific Regional Office | Lao PDR | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes: Feeding practices and behaviors Growth | Yes: Follow up by field team, report to Prog | Yes | Yes | Health Authorities | Training Procurement Funding for Product |
| 27(2) | East Asia and Pacific Regional Office | Philippines WFP | Yes | No | Yes | No | Yes | No | Yes | No | Yes: Investigate the cause of the adverse effects to take appropriate action. Health workers are to advise mothers that when diarrhea happens, continue to feed the child and ensure use of clean water. Consult to health centers as soon as possible. | Yes | Yes | General Public Health Authorities | Technical Assistance/ Program Support Monitoring and Evaluation Adherence/Compliance |
| 37 | Eastern and Southern Africa Region | Kenya | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes: • Anemia Status • Feeding practices and behaviors • Growth | Yes: Block visits are done by CHW, where any issues are noted and reported back to the officers who then follow it up with a home visit. | Yes | Yes | Other: Kenya Nutrition Technical Forum | Program Design Acceptability by health community Adherence/Compliance |
| 39(1) | Eastern and Southern Africa Region | Madagascar | No | Yes | Yes | No | No | Yes | Yes | Yes: Feeding practices and behaviors Growth Other: Anthropometric indicators | No | Yes | Yes | Health Authorities Consumer groups | Monitoring and Evaluation Acceptability by intervention participants Funding for Product |
| UA1 | Eastern and Southern Africa Region | Uganda | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Data Not Available | Yes | Yes | Health Authorities Consumer groups | Funding for Product Funding for delivery Adherence/Compliance |
| 551 | Middle East and North Africa | South Sudan | No | Don't Know | Yes | Yes | Don't Know | Yes | Don't Know | Yes: • Growth | Don't Know | Yes | No | Data Not Available | Program Design Monitoring and Evaluation Adherence/Compliance |
| 552 | Middle East and North Africa | South Sudan | Yes | No | No | No | No | No | Yes | No: Growth Other: MUAC measurement of cross sectional sample | Don't Know | No | Yes | General Public Health Authorities | Monitoring and Evaluation Training Adherence/Compliance |
| SR2 | Middle East and North Africa | Syria | Under Development | No | No | Yes | No | Yes | Yes | No | Yes: Community based workers are in close contact with implementation coordinators | No | Yes | Health Authorities | Monitoring and Evaluation Acceptability by Government Funding for Product |
| 93(1) | The America and Caribbean Regional Office | Guatemala | Yes | No | No | Yes | Yes | Yes | Yes | Yes: • Feeding practices and behaviors • Growth | No | No | Yes | Media General Public Health Authorities Other: Other NGOs | Procurement Funding for Product Funding for delivery |
| 93(2) | The America and Caribbean Regional Office | Guatemala | Yes | No | No | Yes | Yes | Yes | Yes | Yes: • Feeding practices and behaviors • Growth | No | No | Yes | Media General Public Health Authorities Other: Other NGOs | Procurement Funding for Product Funding for delivery |
| 106(2) | West and Central Africa Region | Cameroon | No | Not Yet Started | Not Yet Started | Not Yet Started | Not Yet Started | Not Yet Started | Not Yet Started | Not Yet Started | Not Yet Started | Not Yet Started | Not Yet Started | Data Not Available | Monitoring and Evaluation Acceptability by intervention participants Adherence/Compliance |
| 108 | West and Central Africa Region | Chad | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Not Yet Started | No | Yes | Yes | Media General Public Health Authorities | Data Not Available |
| 111 | West and Central Africa Region | DR Congo | Under Development | Not Yet Started | Not Yet Started | Not Yet Started | Not Yet Started | Not Yet Started | Not Yet Started | Not Yet Started | Not Yet Started | Not Yet Started | Yes | Health Authorities Consumer groups | Program Design Coordination |
| 118(2) | West and Central Africa Region | Liberia | Yes | No | Yes | No | No | Yes | No | Yes: • Growth | No | Yes | Yes | Other: Nutrition Sector Meeting:HAC Meeting | Monitoring and Evaluation Acceptability by others: Plumply doz' is t an approved product by ECHO Monitoring and Evaluation |
| 120 | West and Central Africa Region | Mali | Yes | Yes | Yes | No | No | No | Yes | Yes: • Anemia Status • Other: weight, health, height | No | Yes | Yes | Health Authorities Other: Ethics Committee, National Institute of Public Health Research, International Communication) | Funding for Product Funding for delivery Other: Ongoing discussion on the impact monitoring occurrent after the release of children in the program). |
| 122(1) | West and Central Africa Region | Mauritania | Yes | No | Yes | No | Yes | Yes | Yes | Yes: Other: Underweight | No | Yes | Yes | Other: Regional health directorate | Technical Assistance/ Program Support Monitoring and Evaluation Funding for Product |
| 122(2) | West and Central Africa Region | Mauritania | Yes | No | Yes | No | Yes | Yes | Yes | Yes: Other: Underweight | No | Yes | Yes | Other: Regiona coordination committees | Technical Assistance/ Program Support Monitoring and Evaluation Funding for Product |
| 123(1) | West and Central Africa Region | Niger | Yes | No | Yes | No | No | Yes | Yes | Yes: Growth Other: Study of approaches "cash-food supplements, dietary supplements only, cash only" | No | Yes | Yes | Consumer groups | Program Design Procurement Funding for Product |
| 123(2) | West and Central Africa Region | Niger | Yes | No | No | No | Yes | Yes | Yes | Yes: • Feeding practices and behaviors • Growth | Data Not Available | Yes | Yes | Health Authorities | Technical Assistance/ Program Support Funding for Product Adherence/Compliance |